


**Amendments to the Claims:**


This listing of claims will replace all prior versions, and listings, of claims in the application and reflects the amendment of claims 1, 11, 19, 21 and 25; the cancellation of claims 4, 7, 13, 16, 23, 24, 27 and 28; and the addition of claims 29-36.

**Listing of Claims:**

1. (Currently Amended) A cationised polysaccharide product comprising a polysaccharide having at least one first cationic ~~or-anionic~~-substituent having an aromatic group and at least one second substituent having no aromatic group, wherein the first substituent comprises the following general structural formula (I):



wherein A is a group attaching N to the polysaccharide, R<sub>1</sub> and R<sub>2</sub> are individually H or alkyl having from 1 to 3 carbon atoms, R<sub>Ar</sub> is an aromatic group containing 1 to 12 carbon atoms, or, alternatively, R<sub>1</sub>, R<sub>2</sub>, and R<sub>Ar</sub> together with N form an aromatic group, and X<sup>-</sup> is a counterion, and at least one second substituent having no aromatic group, the second substituent comprises the general structural formula (II):



wherein B is a group attaching N to the polysaccharide, R<sub>3</sub> and R<sub>4</sub> are individually H or alkyl having from 1 to 3 carbon atoms; R<sub>non-Ar</sub> is a non-aromatic group containing 1 to 4 carbon atoms; and X<sup>-</sup> is a counterion, and wherein the first substituent and second substituent are present in a molar ratio within the range of from 10:1 to 1:10.

2. (Original) The cationised polysaccharide product of claim 1, wherein the first substituent and second substituent are present in a molar ratio within the range of from 7:1 to 1:7.

3. (Original) The cationised polysaccharide product of claim 1, wherein it has a cationic charge density within the range of from 0.05 to 4.0 meq/g.

4. (Cancelled).

5. (Original) The cationised polysaccharide product of claim 1, wherein the first substituent comprises  $-\text{CH}_2-\text{CH}(\text{OH})-\text{CH}_2-\text{N}^+((\text{CH}_3)_2)\text{CH}_2\text{C}_6\text{H}_5 \text{ Cl}^-$ .

6. (Original) The cationised polysaccharide product of claim 1, wherein the first substituent comprises a benzyl group.


7. (Cancelled)

8. (Original) The cationised polysaccharide product of claim 1, wherein the second substituent comprises  $-\text{CH}_2-\text{CH}(\text{OH})-\text{CH}_2-\text{N}^+((\text{CH}_3)_3) \text{ Cl}^-$ .


9. (Original) The cationised polysaccharide product of claim 1, wherein the first substituent comprises  $-\text{CH}_2-\text{CH}(\text{OH})-\text{CH}_2-\text{N}^+((\text{CH}_3)_2)\text{CH}_2\text{C}_6\text{H}_5 \text{ Cl}^-$  and the second substituent comprises  $-\text{CH}_2-\text{CH}(\text{OH})-\text{CH}_2-\text{N}^+((\text{CH}_3)_3) \text{ Cl}^-$ .

10. (Original) The cationised polysaccharide product of claim 9, wherein the first substituent and second substituent are present in a molar ratio within the range of from 7:1 to 1:7.

11. (Currently amended) A cationised polysaccharide product comprising one or more polysaccharides having at least one first cationic or anionic substituent having an aromatic group and one or more polysaccharides having at least one second substituent having no aromatic group, wherein the first substituent comprises the following general structural formula (I):



wherein A is a group attaching N to the polysaccharide, R<sub>1</sub> and R<sub>2</sub> are individually H or alkyl having from 1 to 3 carbon atoms, R<sub>Ar</sub> is an aromatic group containing 1 to 12 carbon atoms, or, alternatively, R<sub>1</sub>, R<sub>2</sub>, and R<sub>Ar</sub> together with N form an aromatic group, and X<sup>-</sup> is a counterion, and at least one second substituent having no aromatic group, the second substituent comprises the general structural formula (II):



wherein B is a group attaching N to the polysaccharide, R<sub>3</sub> and R<sub>4</sub> are individually H or alkyl having from 1 to 3 carbon atoms; R<sub>non-Ar</sub> is a non-aromatic group containing 1 to 4 carbon atoms; and X<sup>-</sup> is a counterion.

12. (Original) The cationised polysaccharide product of claim 11, wherein it has an overall cationic charge density within the range of from 0.05 to 4.0 meq/g.

13. (Cancelled)

14. (Original) The cationised polysaccharide product of claim 11, wherein the first substituent comprises  $\text{---CH}_2\text{---CH(OH)---CH}_2\text{---N}^+\text{((CH}_3)_2\text{CH}_2\text{C}_6\text{H}_5 \text{ Cl}^-$ .

15. (Original) The cationised polysaccharide product of claim 11, wherein the first substituent comprises a benzyl group.

16. (Cancelled)

17. (Original) The cationised polysaccharide product of claim 11, wherein the second substituent comprises  $\text{---CH}_2\text{---CH(OH)---CH}_2\text{---N}^+\text{((CH}_3)_3 \text{ Cl}^-$ .

18. (Original) The cationised polysaccharide product of claim 11, wherein the first substituent comprises  $\text{---CH}_2\text{---CH(OH)---CH}_2\text{---N}^+\text{((CH}_3)_2\text{CH}_2\text{C}_6\text{H}_5 \text{ Cl}^-$  and the second substituent comprises  $\text{---CH}_2\text{---CH(OH)---CH}_2\text{---N}^+\text{((CH}_3)_3 \text{ Cl}^-$ .

19. (Currently Amended) A-~~The~~ cationised polysaccharide product of claim 11 comprising a polysaccharide having a degree of aromatic substitution (DS<sub>Ar</sub>) within the range of from 0.0005 to 2.0 and a degree of non-aromatic substitution (DS<sub>non-Ar</sub>) within the range of from 0.0005 to 2.0.

20. (Original) The cationised polysaccharide product of claim 19, wherein the polysaccharide has a degree of cationic substitution (DS<sub>C</sub>) within the range of from 0.02 to 0.5.

21. (Currently amended) A cationised polysaccharide product obtained by reacting one or more polysaccharides with:

- (i) at least one cationic ~~or anionic~~ first aromatic agent; and
- (ii) at least one second non-aromatic agent;

wherein the first aromatic agent is a cationic reaction product of epichlorohydrin and a tertiary amine having one or more aromatic groups, and wherein second non-aromatic agents is a cationic reaction product of epichlorohydrin and a tertiary amine having non-aromatic hydrocarbon groups, and wherein the first aromatic agent and second non-aromatic agent are reacted in a molar ratio within the range of from 10:1 to 1:10.

22. (Original) The cationised polysaccharide product of claim 21, wherein the first aromatic agent and second non-aromatic agent are reacted in a molar ratio within the range of from 7:1 to 1:7.

23. (Cancelled)

24. (Cancelled)

25. (Currently amended) A cationised polysaccharide product obtained by reacting:

(i) a first polysaccharide with at least one cationic ~~er-anionic~~-first aromatic agent; and

(ii) a second polysaccharide with at least one second non-aromatic agent; and then mixing the polysaccharides obtained, wherein the first aromatic agent is a cationic reaction product of epichlorohydrin and a tertiary amine having one or more aromatic groups, and wherein second non-aromatic agents is a cationic reaction product of epichlorohydrin and a tertiary amine having non-aromatic hydrocarbon groups.

26. (Original) The cationised polysaccharide product of claim 25, wherein the first aromatic agent and second non-aromatic agent are reacted in a molar ratio within the range of from 7:1 to 1:7.

27. (Cancelled)

28. (Cancelled)

29. (New) The cationised polysaccharide product of claim 1 comprising a polysaccharide having a degree of aromatic substitution ( $DS_{Ar}$ ) within the range of from 0.0005 to 2.0 and a degree of non-aromatic substitution ( $DS_{non-Ar}$ ) within the range of from 0.0005 to 2.0.

30. (New) The cationised polysaccharide product of claim 29, wherein the polysaccharide has a degree of cationic substitution ( $DS_C$ ) within the range of from 0,02 to 0,5.

31. (New) The cationised polysaccharide product of claim 21 comprising a polysaccharide having a degree of aromatic substitution ( $DS_{Ar}$ ) within the range of from 0.0005 to 2.0 and a degree of non-aromatic substitution ( $DS_{non-Ar}$ ) within the range of from 0.0005 to 2.0.

32. (New) The cationised polysaccharide product of claim 31, wherein the polysaccharide has a degree of cationic substitution ( $DS_C$ ) within the range of from 0,02 to 0,5.

33. (New) The cationised polysaccharide product of claim 10, wherein the first substituent and second substituent are present in a molar ratio within the range of from 3:1 to 1:3.

34. (New) The cationised polysaccharide product of claim 33, wherein the first substituent and second substituent are present in a molar ratio within the range of from 2:1 to 1:2.

35. (New) The cationised polysaccharide product of claim 22, wherein the first aromatic agent and second non-aromatic agent are reacted in a molar ratio within the range of from 3:1 to 1:3.

36. (New) The cationised polysaccharide product of claim 35, wherein the first substituent and second substituent are reacted in a molar ratio within the range of from 2:1 to 1:2.